



# ACCESSORIES

## EV0700

## EV0900

**ZANUSSI**  
PROFESSIONAL



## **ACCESSORIES FOR SPECIFIC FUNCTIONS..... 4**

Accessories for gas ranges.....	4
Accessories for gas boiling top.....	6
Accessories for electric ranges.....	6
Accessories for induction ranges.....	7
Accessories for oven ranges.....	8
Accessories for fry tops.....	9
Accessories for grills.....	11
Accessories for multifunctional cookers.....	14
Accessories for fryers.....	15
Accessories for pasta cookers.....	20
Accessories for bain maries.....	26
Accessories for braising pans.....	26
Accessories for boiling pans.....	27
Accessories for cupboards and open bases.....	29
Accessories for refrigerated bases.....	31
Soft cooker.....	31

## **ACCESSORIES FOR INSTALLATION.....32**

Covering panels.....	32
Handrails.....	33
Chimney upstands.....	34
Stands / supports.....	35
Junction sealing kit.....	35
Stainless steel plinths.....	36
Cover panels for service duct.....	37
Installation on 100 mm concrete plinth.....	38
Support for bridge installation.....	39
Cantilever support.....	40
Wheels and flanged feet.....	43
Water columns.....	44


# ACCESSORIES FOR GAS RANGES



921684



921685



## BURNER DOUBLE ZONE PLATES

RANGE		EVO700
PNC	921684	921685
PLATE	smooth	ribbed
MATERIAL	stainless steel	

- Fry top mode for 700 range gas burners and simple service
- Equipped with a removable grease collection container

206264



206170



## BURNER RADIANT PLATES

RANGE	EVO700	EVO900
PNC	206264	206170
PLATE		only for 6kW burners
MATERIAL	cast iron	

- Solid top mode for gas burners and simple service



## PAIR OF CAST IRON GRIDS

RANGE	EVO900
PNC	206208
MATERIAL	cast iron

# ACCESSORIES FOR GAS RANGES



206363




## WOK SUPPORT

RANGE		EVO700 and EVO900
PNC		206363
MATERIAL		stainless steel

- Wok pan support for open burners
- Except for 3-burner top 392024

206297  
206298



## TWIN-BURNER STAINLESS STEEL GRIDS

RANGE		EVO700	EVO900
PNC		206297	206298
MATERIAL		stainless steel	

- Pans support for gas burners

# ACCESSORIES FOR GAS BOILING TOP



206283



## GROUND SUPPORT FOR 3-BURNER GAS BOILING TOP (392024)

RANGE		EVO900
PNC		206283
MATERIAL		stainless steel

- Lets the 3-burner top 392024 be used like a stockpot

# ACCESSORIES FOR ELECTRIC RANGES



206168  
206056



## CAST IRON BARS

RANGE		EVO700	EVO900
PNC		206168	206056
MATERIAL		cast iron	

- 2 cast iron bars to obtain 2 wider flat cooking zones
- EVO700 for hot square plates only

# ACCESSORIES FOR INDUCTION RANGES



653596



653597



653598



## INDUCTION PANS

RANGE <b>EV0700 and EV0900</b>			
PNC	<b>653596</b>	<b>653597</b>	<b>653598</b>
MATERIAL	stainless steel	aluminum	aluminum
HANDLE	stainless steel	stainless steel	stainless steel
DIAMETER	200 mm	240 mm	280 mm

910613



911587



911588




## INDUCTION WOK-PANS

RANGE <b>EV0700 and EV0900</b>			
PNC	<b>910613</b>	<b>911587</b>	<b>911588</b>
MATERIAL	steel	stainless steel	stainless steel
HANDLE	wood	stainless steel	-
DIAMETER	360 mm	360 mm	360 mm
HEIGHT	105 mm	105 mm	-

# ACCESSORIES FOR OVEN RANGES



164250



## CHROME GRID

RANGE		EVO700 and EVO900
PNC		164250
OVEN		for static oven
SIZE		2/1 GN
MATERIAL		chrome

- 1 piece is included in standard delivery

206204



206243



## CHROME GRIDS

RANGE			EVO900
PNC	206204	206243	
OVEN	for large oven*	for ventilated oven**	
SIZE	972x687 mm	2/1 GN	
MATERIAL	chrome		

- \* For codes 392015 and 392016; 1 piece is included in standard delivery
- \*\* 2 pieces are included in standard delivery



# ACCESSORIES FOR FRY TOPS



164255



206420

## SCRAPERS

RANGE		
EVO700 and EVO900		
PNC	164255	206420
USE ON	smooth plate	ribbed plate

- 1 or 2 pieces, according to the surface type, is included in the standard delivery for the EVO700 and EVO900 chrome plated models and are optional for steel EVO700 models


206346



## GREASE CONTAINER

RANGE	
EVO700 and EVO900	
PNC	206346

- Includes containers, guides, stainless steel drain pipe to convey the grease/oil from the fry top cooking surface to the container and front closing panel
- To be used with top, cupboard and open base



# ACCESSORIES FOR FRY TOPS



206296



## STOPPER

RANGE		EVO700 and EVO900
PNC		206296
MATERIAL		stainless steel

- Stopper for fry top with horizontal plate - used to keep the grease released by the food on the frying plate

206153



216153



206345




## WATER DRAINS

RANGE				EVO900
PNC	206153	216153	206345	
APPLIANCE WIDTH	400 mm	800 mm	1200 mm	

# ACCESSORIES FOR GRILLS



206408



## GRIDS FOR FREESTANDING GAS GRILLS

RANGE	EVO700		EVO900	
PNC	206414	206410	206408	206404
APPLIANCE WIDTH	400 mm	800 mm	400 mm	800 mm
MATERIAL	stainless steel			

- Grills are equipped with cast-iron grids with drainage channels as standard

206415



## GRIDS WITH DRAIN CHANNELS FOR FREESTANDING GRILLS

RANGE	EVO700		EVO900	
PNC	206415	206411	206409	206405
APPLIANCE WIDTH	400 mm	800 mm	400 mm	800 mm
MATERIAL	stainless steel			

- Grills are equipped with cast-iron grids with drainage channels as standard

206415



206418



## GRIDS WITH DRAIN CHANNELS FOR TOP GRILLS

RANGE	EVO700		
PNC	206415	206416	206418*
APPLIANCE WIDTH	400 mm	800 mm	400 mm
MATERIAL	stainless steel		
NOTE	grid	grid	support

- Grills are equipped with cast-iron grids with drainage channels as standard
- \*Applied to the splashguard as a support to adjust the inclination of the grid. Order 2 pieces for 800 mm unit
- Except for electric HP grill

# ACCESSORIES FOR GRILLS



206422



## SCRAPERS

RANGE		EVO700 and EVO900		
PNC	206421	206422	206347	206436
GRID TYPE	stainless steel with drain channels	cast iron	cast iron	steel
APPLIANCE TYPE	standard	standard	HP gas	HP electric
INCLUDED		•		•
NOTE	scraper	scraper	scraper with hook	scraper


206437



## DRAIN EXTENSION FOR HP ELECTRIC GRILLS

RANGE		EVO700 and EVO900
PNC	206437	
MATERIAL	stainless steel	
NOTE	to be used with 206257 (EVO700) or 206145 (EVO900)	

- To be used as an alternative to standard drain together with a GN container to be ordered separately
- Water container capacity should be:
  - 4,5 lt for 1/2 module EVO700
  - 8,8 lt for 1 module EVO700
  - 12,7 lt for 1+1/2 module EVO700
  - 6,7 lt for 1/2 module EVO900
  - 13 lt for 1 module EVO900
  - 20 lt for 1/2 module EVO900



# ACCESSORIES FOR GRILLS



206280



## WATER FILLING TAPS

RANGE		
EVO700 and EVO900		
PNC	206280	206281
APPLIANCE WIDTH	400 mm	800 mm

- For gas and electric freestanding grills

206434



## HEAT DEFLECTORS

RANGE		
EVO700		
PNC	206434	206435
APPLIANCE TYPOLOGY	Electric HP grill	Electric HP grill

- Delivered as standard with Electric HP grills

921024



## COOKING GRIDS

RANGE		
EVO700		
PNC	921025	921024
APPLIANCE TYPOLOGY	Electric HP grill	Electric HP grill

- Delivered as standard with Electric HP grills

# ACCESSORIES FOR MULTIFUNCTIONAL COOKERS



921689



921690



## LIDS

RANGE EVO700 and EVO900		
PNC	921689	921690
APPLIANCE WIDTH	400 mm	800 mm

- For gas and electric multifunctional cookers

164255



921694



## SCRAPERS

RANGE EVO700 and EVO900		
PNC	164255	921694
NOTE	scraper	blades with rounded corners

- Included in standard delivery

# ACCESSORIES FOR FRYERS



960638



921608



## BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE			EVO700
PNC	960638		921608
QUANTITY	2		1
SIZE	half		full
APPLIANCE TYPOLOGY	2x5 and 7 lt		7 lt

- 960638 is included in standard delivery

921629



921691



921692



## BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE				EVO700
PNC	921629	921691		921692
QUANTITY	1	1		2
SIZE	full	full		half
APPLIANCE TYPOLOGY	12 lt	14 and 15 lt		14 and 15 lt

- 921629 is included in standard delivery

921609



921642



## BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE			EVO700
PNC	921609		921642
QUANTITY	1		1
SIZE	half		full
APPLIANCE TYPOLOGY	34 lt		34 lt

- 921609 is included in standard delivery

# ACCESSORIES FOR FRYERS



921691



921692



206196



## BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE		EVO700 and EVO900		EVO700
PNC	921691	921692	206196	
QUANTITY	1	2	1	
SIZE	full	half	full	
INCLUDED	1	1 for programmable	-	
APPLIANCE TYPOLOGY	14 and 15 lt standard	14 and 15 lt standard & programmable	15 lt programmable	

927223



927226



## BASKETS FOR GAS AND ELECTRIC FRYERS

RANGE		EVO900		
PNC	927223	927226	927200	927201
QUANTITY	2	1	2	1
SIZE	half	full	half	full
APPLIANCE TYPOLOGY	18 and 23 lt	18 and 23 lt	18 and 23 lt	18 and 23 lt
	standard		with a front hook*	

- 927223 is included in standard delivery
- \* Can be used to block baskets on the top for oil dripping



# ACCESSORIES FOR FRYERS



206235



921023

## SEDIMENT TRAYS

RANGE	EVO700 and EVO900	EVO900
PNC	206235	921023
APPLIANCE TYPOLOGY	15 Lt	23 Lt

- For freestanding V-shape fryers

921695



927227

## UNCLOGGING RODS

RANGE	EVO700 and EVO900	EVO900
PNC	921695	927227
APPLIANCE TYPOLOGY	15 Lt	23 Lt

- For drain pipe of freestanding V-shape fryers

921693

206359



200086

## OIL FILTER FOR FREESTANDING FRYERS

RANGE	EVO700 and EVO900	EVO900	
PNC	921693	206359	200086
APPLIANCE TYPOLOGY	7, 2x7, 14, 2x14, 15 and 2x15 Lt	18, 23* Lt	23 Lt**
MATERIAL	stainless steel		

- \* Only for Gas Tube model PNC 392084
- \*\*All 23 Lt fryers except the Gas Tube model

# ACCESSORIES FOR FRYERS



200086



200084  
200085




## ADVANCED FILTRATION SYSTEM

RANGE		EVO900	
PNC	200086	200084*	200085
APPLIANCE TYPOLOGY	23 lt with oil recirculation pump		
MATERIAL	stainless steel	stainless steel	paper
INCLUDED FOR 23 LT	.	-	-

- \* Kit for paper filter: mandatory for using paper filter

206209  
206301



## EXTENSION FOR OIL DRAINAGE

RANGE	EVO700 and EVO900	EVO900
PNC	206301	206209
APPLIANCE TYPOLOGY	15 lt	23 lt

- Compulsory when the fryer is installed on plinth

200087



## EXTENSION WITH PUMP FOR OIL DRAINAGE

RANGE	EVO900
PNC	200087
MATERIAL	Highly resistant elastomer with stainless steel extremities
APPLIANCE TYPOLOGY	23 lt with oil recirculation pump

# ACCESSORIES FOR FRYERS



921696



960645



## DEFLECTORS

RANGE	EVO700 and EVO900	EVO900
PNC	921696	960645
APPLIANCE TYPOLGY	15 lt	23 lt

- For floured products for freestanding V-shape fryers
- The deflector is lying on the inclined part of the well, in order to avoid the bread or flour released by the products to lie there and get burned.

206201



## HYGIENIC LID FOR FRYERS

RANGE	EVO900
PNC	206201
APPLIANCE TYPOLGY	23 lt

- Standard lid delivered as standard for the 23 litres fryer model.

200171



## LID FOR OIL CONTAINER

RANGE	EVO900
PNC	200171
APPLIANCE TYPOLGY	23 lt

# ACCESSORIES FOR PASTA COOKERS



921611



## BASKETS

EVO700		
PNC	921611	921610
QUANTITY	1	2
SIZE	350x220 mm	170x220 mm
APPLIANCE TPOLOGY	24.5 and 24.5+24.5 lt	24.5 and 24.5+24.5 lt

921610



- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)

921619



## BASKETS

EVO700	
PNC	921619
QUANTITY	2
SIZE	105x350 mm
APPLIANCE TPOLOGY	24.5 and 24.5+24.5 lt

- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)

206381



## BASKET SUPPORT FOR PASTA COOKER

EVO700	
PNC	206381
QUANTITY	1
SIZE	290x85 mm
APPLIANCE TPOLOGY	24.5 and 24.5+24.5 lt

- To be used with 921619

# ACCESSORIES FOR PASTA COOKERS



921020



921021



921022



## BASKETS AND SUPPORT FOR BASKETS

RANGE		EVO700	
PNC	921020	921021	921022
QUANTITY	2	2	1
MAX NR. OF BASKETS PER WELL	4	6	-
SIZE	105x160 mm	105x105 mm	230x350 mm
APPLIANCE TYPOLOGY	24.5 and 24.5+24.5 lt	24.5 and 24.5+24.5 lt	24.5 and 24.5+24.5 lt
NOTE	baskets	baskets	support h 60 mm

- Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 372100)
- Support is mandatory

# ACCESSORIES FOR AUTOMATIC PASTA COOKERS



206312



206314



206362



## BASKETS FOR AUTOMATIC PASTA COOKER

RANGE		EVO700	
PNC	206312	206314	206362
QUANTITY	2	2	1
SIZE	115x163 mm	105x350 mm	350x230 mm
APPLIANCE TYPOLOGY	automatic pasta cooker		
NOTE	baskets	baskets	support h 147 mm

- Support is recommended

# ACCESSORIES FOR PASTA COOKERS



206433



206237



## BASKETS


EVO900		
RANGE		
PNC	206433	206237
QUANTITY	2	1
MAX NR. OF BASKETS PER WELL	6	2
SIZE	130x130 mm 6 fit in a 40 lt well	135x310 mm 2 fit in a 40 lt well
APPLIANCE TYPOLOGY	40 and 40+40 lt	40 and 40+40 lt

- Code 206238 compulsory for: 206433 and 206237

206233



206238



## BASKETS AND SUPPORT FOR BASKETS

EVO900		
RANGE		
PNC	206233	206238
QUANTITY	1+2	1
SIZE	1x 1/3 GN + 2x135x310 mm	295x505 mm
APPLIANCE TYPOLOGY	40 and 40+40 lt	40 and 40+40 lt
NOTE	baskets	support

- Code 206238 compulsory for: 206233

927216



927211



927210



## BASKETS

EVO900			
RANGE			
PNC	927216	927211	927210
QUANTITY	1	2	3
SIZE	1/1 GN	1/2 GN	1/3 GN
APPLIANCE TYPOLOGY	40 and 40+40 lt	40 and 40+40 lt	40 and 40+40 lt

# ACCESSORIES FOR PASTA COOKERS



927212



927213



## ROUND BASKETS

EVO900		
RANGE		
PNC	927212	927213
QUANTITY	3	6
SIZE	Ø 181 mm	Ø 145 mm
APPLIANCE TYPOLOGY	40 and 40+40 lt	40 and 40+40 lt

927219



960644



## SUPPORTS FOR 40 LT PASTA COOKERS

EVO900		
RANGE		
PNC	927219	960644
SIZE	290x500x115 mm	330x535x10 mm
NOTE	grid support for round baskets (compulsory for 927212 and 927213)	support frame to hold 6 round baskets (alternative to 927219)


# ACCESSORIES FOR PASTA COOKERS



921607



206190



## LIDS AND LID HOLDER

RANGE		EV0700	EV0900
PNC		921607	206190
APPLIANCE TYPOLOGY		24.5 lt and 24.5 + 24.5 lt	40 lt and 40 + 40 lt
NOTE		lid	lid and lid holder


206344



## ENERGY SAVING DEVICE

RANGE		EV0700 and EV0900
PNC		206344
NOTE		1 per well needed

- Used to preheat fresh water to refill the well, thus saving energy





# ACCESSORIES FOR PASTA COOKERS




206354

2 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



## PROGRAMMABLE BASKET LIFTING UNIT

RANGE		EV0700
PNC		206354
DIMENSION		200 mm wide

## AVAILABLE BASKETS



**921610** - 2 baskets 170x220 mm  
see page 20



**921020** - 2 baskets 156x172 mm  
see page 21




**206396** - frame/support for  
2 single portion baskets for 921020

206355

3 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



## PROGRAMMABLE BASKET LIFTING UNIT

RANGE		EV0900
PNC		206355
DIMENSION		200 mm wide

## AVAILABLE BASKETS



**927210** - 3 X 1/3GN baskets  
see page 22



**206433** - 2 basket 130x130 mm  
see page 22



**206395** - frame/support for  
2 single portion baskets for 206433

# ACCESSORIES FOR BAIN MARIES



921622



## DRILLED FALSE BOTTOMS

RANGE		
EVO700 and EVO900		
PNC	921622	921623
APPLIANCE WIDTH	400 mm	800 mm

921627



## WATER FILLING TAP

RANGE	
EVO700 and EVO900	
PNC	921627
MATERIAL	stainless steel

# ACCESSORIES FOR BRAISING AND BOILING PANS



922403



## TROLLEY WITH LIFTING AND REMOVABLE TANK

RANGE	
EVO700 and EVO900	
PNC	922403
MATERIAL	stainless steel

# ACCESSORIES FOR BOILING PANS



921626



## BASKET

RANGE		EVO700 and EVO900
PNC		921626
APPLIANCE TYPOLOGY		60 lt
NOTE		1-section basket

- To make your boiling pan work as a pasta cooker!

925018



## BASKET

RANGE		EVO900
PNC		925018
APPLIANCE TYPOLOGY		100 lt
NOTE		2-section universal basket

- To make your boiling pan work as a pasta cooker!

925019



## BASKET

RANGE		EVO900
PNC		925019
APPLIANCE TYPOLOGY		150 lt
NOTE		2-section universal basket

- To make your boiling pan work as a pasta cooker!

# ACCESSORIES FOR BOILING PANS



206279



## AUTOMATIC DEPRESSURIZATION KIT

RANGE		EVO900
PNC		206279
APPLIANCE TYPOLOGY		100 and 150 lt

- For indirect heating boiling pans (double jacketed)
- If not installed: depressurization of the double-jacket must be done manually

927222



## WATER ADDITIVE AGAINST CORROSION

RANGE		EVO700 and EVO900
PNC		927222
APPLIANCE TYPOLOGY		100 and 150 lt indirect heating

- For indirect heating boiling pans
- 1 container of water additive against corrosion is already included in the standard appliances delivery

# ACCESSORIES FOR CUPBOARDS AND OPEN BASES



206342



## DOOR FOR OPEN BASE

RANGE		EVO700 and EVO900
PNC		206342

- Same for left and right-side door

206259



## ELECTRIC HEATING KIT FOR CUPBOARD

RANGE		EVO700 and EVO900
PNC		206259
SIZE		360x510x60 mm
ELECTRIC CONN.		230V 1ph 50/60 Hz
POWER		0.65 kW

- To be fixed on the bottom of the base
- The base has to be with doors and can not be used as holding cabinet for food
- Only in combination with gas cookers and ambient worktops

206245



## CENTRAL SUPPORT

RANGE		EVO700 and EVO900
PNC		206245
NOTE		central support for installation of drawers and grids (on 800/1200 mm bases) and of doors (on 1200 mm bases)

- Needed for installation of drawers and grid runners (1 piece for 800 mm)
- Needed for installation of drawers and grid runners (2 pieces for 1200 mm) or only doors (1 piece for 1200 mm)
- Recommended if Powergrill is mounted on base

# ACCESSORIES FOR CUPBOARDS AND OPEN BASES



206244



## SUPPORTS WITH SIDE RUNNERS

RANGE		EVO700	EVO900
PNC	206257	206244	206145
NOTE	2 supports with side runners for 4 GN 1/1 containers for open base	2 supports with side runners for 4 GN 1/1 containers for cupboards	2 supports with side runners for 4 GN 1/1 containers for open base or cupboards
	371112, 37111, 371114, 371263, 371264 and 371265		

206360



## DRAWERS

RANGE		EVO700	EVO900
PNC		206360	206361
QUANTITY		2	2
HEIGHT		100 mm	100 mm

# ACCESSORIES FOR REFRIGERATED BASES



206348



## DRAWERS

RANGE		EVO700
PNC		206348
QUANTITY		2

# SOFT COOKER

206428



206429



## SOFT COOKER

RANGE			EVO700 and EVO900
PNC	206428		206429
SIZE	128x175x340 mm		GN 1/1
MATERIAL	stainless steel		
NOTE	plug-in		with lid

# INSTALLATION ACCESSORIES

## COVERING PANELS



206319  
206335



### AESTHETICAL SIDE COVERING PANELS

RANGE		EVO700	EVO900
PNC		206319	206335
APPLIANCE TYPOLOGY		freestanding 700 mm high	freestanding 700 mm high
PNC		206320	206321
APPLIANCE TYPOLOGY		top 250 mm high	top 250 mm high

- The code includes 2 side covering panels

206320  
206321



206373



### REAR COVERING PANELS

RANGE		EVO700 and EVO900			
PNC		206373	206374	206375	206376
SIZE		600 mm	800 mm	1000 mm	1200 mm

- For island installation to cover the back of the appliances



# INSTALLATION ACCESSORIES

## HANDRAILS

206167



### FRONT HANDRAILS 50 MM DEPTH

RANGE		EVO700 and EVO900			
PNC	206166	206167	206191	206192	
SIZE	400 mm	800 mm	1200 mm	1600 mm	

206165



### BACK HANDRAILS 50MM DEPTH

RANGE		EVO700 and EVO900	
PNC	206308	206309	
SIZE	800 mm	1200 mm	

- To be used for island installation

206307



### SIDE HANDRAILS 50 MM DEPTH

RANGE		EVO700	EVO900
PNC	206240	216165	
NOTE	2 pieces: right and left side		2 pieces: right and left side

206185



### PORTIONING SHELVES 140 MM DEPTH

RANGE		EVO700 and EVO900	
PNC	206185	206186	
SIZE	400 mm	800 mm	

**Note:** none can be mounted to EVO700 induction and infrared units

# INSTALLATION ACCESSORIES

## CHIMNEY UPSTANDS



### CHIMNEY UPSTANDS

RANGE		EVO700 and EVO900			
PNC	206302	206303	206304	206305	206306
WIDTH	200 mm	400 mm	800 mm	1000 mm	1200 mm



### CHIMNEY GRID NETS

RANGE		EVO700 and EVO900		
PNC	206399	206400	206402	206403
WIDTH	200 mm	400 mm	500 mm	590 mm

# INSTALLATION ACCESSORIES

## STANDS / SUPPORTS



206183



### STAND / SUPPORTS (SHELVES)

RANGE		
EVO900		
PNC	206183	206184
WIDTH	400 mm	800 mm
NOTE	to be installed on the neutral work tops	

- Can not be used with Salamanders

# INSTALLATION ACCESSORIES

## JUNCTION SEALING KIT



206086



### JUNCTION SEALING KIT

RANGE	
EVO700 and EVO900	
PNC	206086
NOTE	junction sealing kit to fill any possible gap between side-by-side appliances and prevent from any dirt infiltration

# INSTALLATION ACCESSORIES

## STAINLESS STEEL PLINTHS



### FRONTAL KICKING STRIPS

RANGE		EVO700 and EVO900				
PNC	206174	206175	206176	206177	206178	206179
WIDTH	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm
APPLIANCE TYPOLGY	all*	all*	all*	all*	all*	all*

- \* Except 23 lt fryer

### FRONTAL KICKING STRIPS

RANGE		EVO900
PNC	206203	
APPLIANCE TYPOLGY	23 lt fryers	

### SIDE KICKING STRIPS


RANGE		EVO700	EVO900
PNC		206249	206180
WIDTH		700 mm	900 mm
APPLIANCE TYPOLOGY		all	all

Kicking strips final effect



- Front and side kicking strips are aesthetical and hygienic elements, but they do not support the appliance's weight (that is the feet's task)
- Front kicking strips can be mounted on the back side if needed


# COVER PANELS FOR SERVICE DUCT



## KIT OF PANELS FOR SERVICE DUCT


RANGE		EVO700
PNC		206248
NOTE	kit of panels for service duct for installation top on base	
SIZE	300x40x160 mm	

- Freestanding versions of EVO700 are without service duct
- Service duct cover panels are not needed in case aesthetical cover panels (code 216000) are ordered



## KIT OF PANELS FOR SERVICE DUCT

RANGE		EVO900
PNC		206202
NOTE	kit of panels for service duct for back to back installation	
SIZE	900x20x150 mm	




## KIT OF PANELS FOR SERVICE DUCT

RANGE		EVO900
PNC		206181
NOTE	kit of panels for service duct for installation top on base or for freestanding units	
SIZE	300x40x160 mm	

- Service duct cover panels are not needed in case aesthetical cover panels (code 216134) are ordered

# INSTALLATION ON 100 MM CONCRETE PLINTH



## SPECIAL FEET FOR CONCRETE INSTALLATION

RANGE		EVO700 and EVO900
PNC		206210
APPLIANCE TYPOLOGY	Except for: EVO700 programmable pasta cooker and EVO700 and EVO900 programmable fryers	

- 1 kit per appliance
- The concrete plinth must be 100 mm high in order to have the worktop at 900 mm height: special feet for concrete installation are not adjustable in height

## FRONTAL KICKING STRIPS

RANGE		EVO700 and EVO900					
PNC	206146	206147	206148	206150	206151	206152	
WIDTH	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm	

## SIDE KICKING STRIPS

RANGE		EVO700	EVO900
PNC		206265	206157



# SUPPORT FOR BRIDGE INSTALLATION


206137



## SUPPORTS FOR BRIDGE INSTALLATION

RANGE		EVO700 and EVO900				
PNC	206154	206137	206138	206139	206140	206141
WIDTH	400 mm	800 mm	1000 mm	1200 mm	1400 mm	1600 mm


- Only for top appliances



400/800 mm freestanding or "top on base" appliances (it is recommended to use flanged feet for 400 mm appliances)


# INSTALLATION ACCESSORIES

## CANTILEVER SUPPORT



### CENTRAL SUPPORTS WITH SERVICE DUCT


RANGE		EVO700 and EVO900			
PNC	206216	206217	206218	206219	206220
SIZE	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm



### WALL TYPE SUPPORTS WITH SERVICE DUCT

RANGE		EVO700 and EVO900			
PNC	206211	206212	206213	206214	206215
SIZE	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm

- Special frame for installation
- Includes support frame, cover panels of central column, lower frontal cover panels of the support frame, top cover panel



### UNDERCOVER PANELS

RANGE		EVO700			
PNC	206323	206324	206325	206329	
SIZE	200 mm	400 mm	800 mm	1200 mm	

RANGE		EVO900			
PNC	206330	206331	206332	206336	
SIZE	200 mm	400 mm	800 mm	1200 mm	


**Note:** Ask your local Zanussi Sales representative for the Cantilever Configurator



# INSTALLATION ACCESSORIES

## CANTILEVER SUPPORT BARS


## AND COVER PANELS



**Cover panel.**  
No need to order lower covering elements in this case  
(codes 206258, 206295)


### 2 AESTHETIC SIDE COVER PANELS

RANGE	EV0700	EV0900
PNC	206327	206341



### 2 LOWER COVERING ELEMENTS

RANGE	EV0700	EV0900
PNC	206258	206295



### 2 SUPPORT BARS FOR TOP UNITS


RANGE	EV0700	EV0900
PNC	206315	206322

**Note:** Ask your local Zanussi Sales representative for the Cantilever Configurator

# INSTALLATION ACCESSORIES

## CANTILEVER SUPPORT BARS

## AND COVER PANELS



### FLOOR FIXING FOOT

RANGE		EVO700 and EVO900
PNC		206226
DIMENSION WXDXH		105 x 485 x 100 mm

### KIT FOR BRAISING PAN INSTALLATION

RANGE		EVO900
PNC		206364

**Note:** Ask your local Zanussi Sales representative for the Cantilever Configurator

# INSTALLATION ACCESSORIES

## WHEELS AND FLANGED FEET

206135



### WHEELS

RANGE			EVO700 and EVO900	
PNC	206135		206432	
APPLIANCE	4 wheels (2 with brakes)		6 wheels (3 with brakes)	



### SUPPORTS FOR HYGIENIC INSTALLATION ON FEET OR WHEELS - CROSS-WISE

RANGE							EVO700 and EVO900	
PNC	206366	206431	206367	206368	206369	206370		
APPLIANCE TYPOLOGY	all*	all*	all*	all*	all*	all*		
WIDTH	400 mm	600 mm	800 mm	1200 mm	1600 mm	2000 mm		

- \*Except EVO700 6 burner range with large oven and EVO900 23 lt fryers and pasta cookers (see length-wise supports below)
- Not for top appliances

### SUPPORTS FOR HYGIENIC INSTALLATION ON FEET OR WHEELS - LENGHT-WISE

RANGE			EVO700		EVO900	
PNC	206371	206444	206430	206372		
QUANTITY	2	3	3	2		
APPLIANCE	6 burner range with large oven	ref. bases	ref. bases	23 lt fryers and pasta cookers		

206136



### FLANGED FEET

RANGE		EVO700 and EVO900
PNC		206136
QUANTITY		2

**Note: braising pans can not be installed on wheels**

# INSTALLATION ACCESSORIES

## WATER COLUMNS



206379



### FLOW METER

RANGE	EVO700	EVO900
PNC	206379	206380

- Top equipped with water column and liter counter

206289



### WATER COLUMN WITH SWIVEL ARM

RANGE	EVO700 and EVO900
PNC	206289

- Cannot be installed on: Fryers, Chip scuttles, Bases (neutral, freezer, refrigerated)

206291

206290



### WATER COLUMN EXTENSION

RANGE	EVO700	EVO900
PNC	206291	206290

- Not needed when the water column inlet can be reached directly with the flexible water hose from the water net
- Both codes contain two extensions of different lenght
- Mandatory for EVO900 installations

# INSTALLATION ACCESSORIES

## WATER COLUMNS



206231



### EXTERNAL SUPPORT FOR WATER COLUMN

RANGE	EVO700 and EVO900
PNC	206231

- To install the water column on the side or rear of the appliance

# REQUEST AN OFFER TO PERSONALIZE YOUR COOKING AREA



Name ..... E-mail .....

..... Telephone .....

Company ..... Fax .....

.....

Address . .....

.....

ITEM NAME	PNC	QUANTITY

Dealer stamp

Look for the Electrolux partner  
nearest to you in our website:  
[www.zanussiprofessional.com](http://www.zanussiprofessional.com)





The company reserves the right to change technical specifications without prior warning. The photographs are not contractually binding

ZANUSSI PROFESSIONAL  
[www.zanussiprofessional.com](http://www.zanussiprofessional.com)

**ZANUSSI**  
**PROFESSIONAL**