




ecostore<sup>HP</sup>  
Refrigerated Counters

Range  
overview





---

# Index

## ecostore<sup>HP</sup> Premium

ecostore <sup>HP</sup> Premium Refrigerated Counters - 2 compartments with top.....	6
ecostore <sup>HP</sup> Premium Refrigerated Counters - 2 compartments - with top and splashback.....	7
ecostore <sup>HP</sup> Premium Refrigerated Counters - 2 compartments - no top.....	8
ecostore <sup>HP</sup> Premium Refrigerated Counters - 3 compartments with top.....	9
ecostore <sup>HP</sup> Premium Refrigerated Counters - 3 compartments - with top and splashback.....	11
ecostore <sup>HP</sup> Premium Refrigerated Counters - 3 compartments - no top.....	12
ecostore <sup>HP</sup> Premium Refrigerated Counters - 4 compartments with top.....	13
ecostore <sup>HP</sup> Premium Refrigerated Counters - 4 compartments - with top and splashback.....	14
ecostore <sup>HP</sup> Premium Refrigerated Counters - 4 compartments - no top.....	15
ecostore <sup>HP</sup> Premium Refrigerated Counters - 2 compartments - Remote Unit with top.....	16
ecostore <sup>HP</sup> Premium Refrigerated Counters - 3 compartments - Remote Unit with top.....	17
ecostore <sup>HP</sup> Premium Refrigerated Counters - 4 compartments - Remote Unit with top.....	18
ecostore <sup>HP</sup> Premium Freezer Counters - 2 compartments with top.....	20
ecostore <sup>HP</sup> Premium Freezer Counters - 2 compartments - with top and splashback.....	20
ecostore <sup>HP</sup> Premium Freezer Counters - 2 compartments - no top.....	21
ecostore <sup>HP</sup> Premium Freezer Counters - 3 compartments with top.....	21
ecostore <sup>HP</sup> Premium Freezer Counters - 3 compartments - with top and splashback.....	22
ecostore <sup>HP</sup> Premium Freezer Counters - 3 compartments - no top.....	22
ecostore <sup>HP</sup> Premium Freezer Counters - 2 compartments - Remote Unit with top.....	23
ecostore <sup>HP</sup> Premium Freezer Counters - 3 compartments - Remote Unit with top.....	23
ecostore <sup>HP</sup> Premium Refrigerated Counters - 2 compartments - Saladette with top.....	25
ecostore <sup>HP</sup> Premium Refrigerated Counters - 3 compartments - Saladette with top.....	25

# ecostore<sup>HP</sup> Premium extrA quality


Every detail of **ecostore<sup>HP</sup> Premium** is designed to increase performance



## capacity

### extrA food safety with Optiflow

Food stays fresher for longer with **Optiflow** smart air circulation and **climate class 5** means outstanding performance even in the hottest, heaviest duty kitchens



### Easy installation

ecostore<sup>HP</sup> performs consistently and are easy to install. They also save space because there is no need to leave clearance space around them. They need frontal ventilation only thanks to the Tower Configuration of the cooling unit



### extrA savings with class A


Energy efficiency class A makes a real difference to your energy bill. **Energy savings\* of up to 480 €/year** ensure a fast return on your investment. Ask your Electrolux expert to calculate how much your business can save



\* potential energy saving based on EU legislation labelling obtained by comparing class G refrigerated counters with equivalent in class A (with EU average energy cost of 0,21 €/kWh and net volume of 310 l)

\*\* compared to equivalent 3-door refrigerated counters on the market





### extra capacity

Store more food. 50 extra liters\*\* of net volume means 20% more storage than comparable counters



# + 50 liters



### extra customization

With countless custom options, Electrolux can give you the counter you need. Ask an Electrolux Partner to create your ideal solution



### extra sustainable

Higher performance and a clear-conscience, ecostore<sup>HP</sup> Premium use R290, a less aggressive and more eco-friendly alternative to traditional gas refrigerants



### extra design

Show your kitchen off! The **ergonomic, design** of ecostore<sup>HP</sup> Premium looks great and is easy to install whether free-standing or built-in to the sleek Electrolux Professional static preparation



**ecostore HP Premium Refrigerated Counters - 2 compartments with top**

710001

	710001	710006	710010	710014	710018	710022
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 2 compartments with top**

710004

	710004	710103	710105	710106	710108	710110
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	198	198	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2	2	1		
Drawers - nr				2x1/2	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	UK	UK	UK	UK	UK
Wheels		•	•	•	•	•
Cool unit on the right	•		•			
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	A	A	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 2 compartments - with top and splashback



710002

	710002	710007	710011	710015	710019	710023
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 2 compartments - with top and splashback



710104

	710104	710107	710109	710111
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178
External dim. - mm				
width	1341	1341	1341	1341
depth	700	700	700	700
height	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1		
Drawers - nr		2x1/2	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290
Plug	UK	UK	UK	UK
Wheels	•	•	•	•
Cool unit on the right				
Certifications	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B
Climate class	5	5	5	5



**ecostore HP Premium Refrigerated Counters - 2 compartments - no top**

710000

	710000	710005	710009	710013	710017	710021
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1341	1341	1341	1341	1341	1341
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5



## ecostore HP Premium Refrigerated Counters - 3 compartments with top



710028

	710028	710033	710037	710041	710045	710049
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 3 compartments with top



710053

	710053	710057	710031	710112	710114	710115
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	310	310	310	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			3	3	3	2
Drawers - nr	6x1/2	9x1/3				2x1/2
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	UK	UK	UK
Wheels				•	•	
Cool unit on the right			•		•	
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	A	A	A	B
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 3 compartments with top**

710117

	710117	710119
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	266	266
External dim. - mm		
width	1795	1795
depth	700	700
height	900	900
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	6x1/2	9x1/3
Refrigerant type	R290	R290
Plug	UK	UK
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

## ecostore HP Premium Refrigerated Counters - 3 compartments - with top and splashback



710029

	710029	710034	710038	710042	710046	710050
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 3 compartments - with top and splashback



710054

	710054	710058	710113	710116	710118	710120
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	310	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			3	2		
Drawers - nr	6x1/2	9x1/3		2x1/2	6x1/2	9x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	UK	UK	UK	UK
Wheels			•	•	•	•
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	A	B	C	C
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 3 compartments - no top**

710027

	710027	710032	710036	710040	710044	710048
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1795	1795	1795	1795	1795	1795
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	A	B	B	B	B	C
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 3 compartments - no top**

710052

	710052	710056
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	266	266
External dim. - mm		
width	1795	1795
depth	700	700
height	850	850
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	6x1/2	9x1/3
Refrigerant type	R290	R290
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

## ecostore HP Premium Refrigerated Counters - 4 compartments with top



710062

	710062	710067	710071	710075	710079	710082
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2253	2253	2253	2253	2253	2253
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 4 compartments with top



710086

	710086	710090	710065	710121	710123	710124
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	355	355	423	423	423	355
External dim. - mm						
width	2253	2253	2253	2253	2253	2253
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			4	4	4	
Drawers - nr	8x1/2	12x1/3				8x1/2
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	UK	UK	UK
Wheels				•	•	•
Cool unit on the right			•		•	
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	B	B	B	C
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 4 compartments - with top and splashback**

710063

	710063	710068	710072	710076	710271	710083
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2253	2253	2253	2253	2253	2253
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 4 compartments - with top and splashback**

710087

	710087	710091	710122	710125	710127
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	355	355	423	355	355
External dim. - mm					
width	2253	2253	2253	2253	2253
depth	700	700	700	700	700
height	900	900	900	900	900
Height with splashback - mm	1000	1000	1000	1000	1000
Electric power - kW	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr			4		
Drawers - nr	8x1/2	12x1/3		8x1/2	12x1/3
Refrigerant type	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	UK	UK	UK
Wheels			•	•	•
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	C	C	B	C	C
Climate class	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 4 compartments - no top



710061

	710061	710066	710070	710074	710078	710081
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2253	2253	2253	2253	2253	2253
depth	700	700	700	700	700	700
height	850	850	850	850	850	850
Electric power - kW	0,25	0,25	0,25	0,25	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R290	R290	R290	R290	R290	R290
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class	B	B	B	B	B	C
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 4 compartments - no top



710085

	710085	710089
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	355	355
External dim. - mm		
width	2253	2253
depth	700	700
height	850	850
Electric power - kW	0,25	0,25
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	8x1/2	12x1/3
Refrigerant type	R290	R290
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5



**ecostore HP Premium Refrigerated Counters - 2 compartments - Remote Unit with top**

710003

	710003	710008	710012	710016	710020	710024
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	198	178	178	178	178	178
External dim. - mm						
width	1207	1207	1207	1207	1207	1207
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	1	1	1		
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 2 compartments - Remote Unit with top**

710135

	710135	710272
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	178	178
External dim. - mm		
width	1207	1207
depth	700	700
height	900	900
Electric power - kW	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	4x1/2	6x1/3
Refrigerant type	R134a	R134a
Plug		
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class		
Climate class	5	5

## ecostore HP Premium Refrigerated Counters - 3 compartments - Remote Unit with top



710030

	710030	710035	710039	710043	710047	710051
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	310	266	266	266	266	266
External dim. - mm						
width	1661	1661	1661	1661	1661	1661
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	2	2	2	1	1
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug						
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

## ecostore HP Premium Refrigerated Counters - 3 compartments - Remote Unit with top



710055

	710055	710059	710146	710150
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	266	266	266	266
External dim. - mm				
width	1661	1661	1661	1661
depth	700	700	700	700
height	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr				
Drawers - nr	6x1/2	9x1/3	6x1/2	9x1/3
Refrigerant type	R134a	R134a	R134a	R134a
Plug				
Wheels				
Cool unit on the right				
Certifications	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class				
Climate class	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 4 compartments - Remote Unit with top**

710064

	710064	710069	710073	710077	710080	710084
Temperature - °C	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10	-2 / +10
Net volume - lt.	423	355	355	355	355	355
External dim. - mm						
width	2115	2115	2115	2115	2115	2115
depth	700	700	700	700	700	700
height	900	900	900	900	900	900
Electric power - kW	0,22	0,22	0,22	0,22	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	4	3	3	3	2	2
Drawers - nr		2x1/2	3x1/3	1x1/3 + 1x2/3	4x1/2	6x1/3
Refrigerant type	R134a	R134a	R134a	R134a	R134a	R134a
Plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Wheels						
Cool unit on the right						
Certifications	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB	CE, CB
European energy label class						
Climate class	5	5	5	5	5	5

**ecostore HP Premium Refrigerated Counters - 4 compartments - Remote Unit with top**

710088

	710088	710092
Temperature - °C	-2 / +10	-2 / +10
Net volume - lt.	355	355
External dim. - mm		
width	2115	2115
depth	700	700
height	900	900
Electric power - kW	0,22	0,22
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr		
Drawers - nr	8x1/2	12x1/3
Refrigerant type	R134a	R134a
Plug	Schuko	Schuko
Wheels		
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class		
Climate class	5	5

# ecostore<sup>HP</sup> Premium. Create your own solution! refrigerated counter

Built-in units  
with top



Remote units  
with top



## Factory fitted optional customization (additional charges)

Drawers



2 drawers  
2x ½



3 drawers  
3x ½



bottle drawer  
1x ½ + 1x ¾



Lock / Compartment

\*Optional lock mandatory on each handle



No top units  
built-in and remote

2 compartments  
3 compartments  
4 compartments



Top with splashback units  
built-in and remote

2 compartments  
3 compartments  
4 compartments



Wheels\*

2 compartments  
3 compartments  
4 compartments

\*Not applicable with remote unit

Cooling unit  
on right



Schuko plug  
standard



UK plug

Note: Always list your choices from left to right.  
Check availability on the configurator.

**ecostore HP Premium Freezer Counters - 2 compartments with top**

710094

	710094	710097	710128
Temperature - °C	-22 / -15	-22 / -15	-22 / -15
Net volume - lt.	198	198	198
External dim. - mm			
width	1341	1341	1341
depth	700	700	700
height	900	900	900
Electric power - kW	0,45	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2	2
Drawers - nr			
Refrigerant type	R290	R290	R290
Plug	Schuko	Schuko	UK
Wheels			•
Cool unit on the right		•	
Certifications	CE, CB	CE, CB	CE, CB
European energy label class	C	C	C
Climate class	5	5	5

**ecostore HP Premium Freezer Counters - 2 compartments - with top and splashback**

710095

	710095	710129
Temperature - °C	-22 / -15	-22 / -15
Net volume - lt.	198	198
External dim. - mm		
width	1341	1341
depth	700	700
height	900	900
Height with splashback - mm	1000	1000
Electric power - kW	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	2	2
Drawers - nr		
Refrigerant type	R290	R290
Plug	Schuko	UK
Wheels		•
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	C	C
Climate class	5	5

## ecostore HP Premium Freezer Counters - 2 compartments - no top



710093

	710093
Temperature - °C	-22 / -15
Net volume - lt.	198
External dim. - mm	
width	1341
depth	700
height	850
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	C
Climate class	5

## ecostore HP Premium Freezer Counters - 3 compartments with top



710099

	710099	710102	710130
Temperature - °C	-22 / -15	-22 / -15	-22 / -15
Net volume - lt.	310	310	310
External dim. - mm			
width	1795	1795	1795
depth	700	700	700
height	900	900	900
Electric power - kW	0,45	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	3	3
Drawers - nr			
Refrigerant type	R290	R290	R290
Plug	Schuko	Schuko	UK
Wheels			•
Cool unit on the right		•	
Certifications	CE, CB	CE, CB	CE, CB
European energy label class	D	D	D
Climate class	5	5	5

**ecostore HP Premium Freezer Counters - 3 compartments - with top and splashback**

710100

	710100	710131
Temperature - °C	-22 / -15	-22 / -15
Net volume - lt.	310	310
External dim. - mm		
width	1795	1795
depth	700	700
height	900	900
Height with splashback - mm	1000	1000
Electric power - kW	0,45	0,45
Electrical connection	220-240 V 1N 50Hz	220-240 V 1N 50Hz
Doors - nr	3	3
Drawers - nr		
Refrigerant type	R290	R290
Plug	Schuko	UK
Wheels		•
Cool unit on the right		
Certifications	CE, CB	CE, CB
European energy label class	D	D
Climate class	5	5

**ecostore HP Premium Freezer Counters - 3 compartments - no top**

710098

	710098
Temperature - °C	-22 / -15
Net volume - lt.	310
External dim. - mm	
width	1795
depth	700
height	850
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	D
Climate class	5



## ecostore HP Premium Freezer Counters - 2 compartments - Remote Unit with top



710096

	710096
Temperature - °C	-22 / -15
Net volume - lt.	198
External dim. - mm	
width	1207
depth	700
height	900
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	5

## ecostore HP Premium Freezer Counters - 3 compartments - Remote Unit with top



710101

	710101
Temperature - °C	-22 / -15
Net volume - lt.	310
External dim. - mm	
width	1661
depth	700
height	900
Electric power - kW	0,45
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	Schuko
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	5

# ecostore<sup>HP</sup> Premium. Create your own solution!

## freezer counter

Built-in units with top

710094



710099



Remote units with top

710096



710101



### Factory fitted optional customization (additional charges)

Drawers



2 drawers  
2x ½



3 drawers  
3x ⅓



bottle drawer  
1x⅓ + 1x⅓



Lock / Compartment

\*Optional lock mandatory on each handle

No top units

built-in and remote

2 compartments  
3 compartments  
4 compartments

Top with splashback units

built-in and remote

2 compartments  
3 compartments  
4 compartments



Wheels\*

2 compartments  
3 compartments  
4 compartments

\*Not applicable with remote unit

Cooling unit on right



Schuko plug standard



UK plug

Note: Always list your choices from left to right. Check availability on the configurator.

## ecostore HP Premium Refrigerated Counters - 2 compartments - Saladette with top



710025

	710025
Temperature - °C	-2 / +10
Net volume - lt.	198
External dim. - mm	
width	1341
depth	700
height	900
Electric power - kW	0,25
Electrical connection	220-240 V 1N 50Hz
Doors - nr	2
Drawers - nr	
Refrigerant type	R290
Plug	
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	4

## ecostore HP Premium Refrigerated Counters - 3 compartments - Saladette with top



710060

	710060
Temperature - °C	-2 / +10
Net volume - lt.	310
External dim. - mm	
width	1647
depth	700
height	900
Electric power - kW	0,25
Electrical connection	220-240 V 1N 50Hz
Doors - nr	3
Drawers - nr	
Refrigerant type	R290
Plug	
Wheels	
Cool unit on the right	
Certifications	CE, CB
European energy label class	
Climate class	4







Discover the Electrolux Excellence  
and share more of our thinking at  
[www.electrolux.com/professional](http://www.electrolux.com/professional)

Follow us on    

## Excellence with the environment in mind

- ▶ All our factories are ISO 14001-certified
- ▶ All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- ▶ In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- ▶ Our technology is ROHS and REACH compliant and over 95% recyclable
- ▶ Our products are 100% quality tested by experts

